




SLIM

Wired Audio Intercom System

- Up to 4 handsfree handsets per system.
- Curved profile stylish handset available in black.
- 150m typical cabled range using twisted pair cables.
- 24V dc 2A power supply included*. (Handsets 12v dc)



Indoor Speech Unit
Wired up to 4 handset per system.



Outdoor Speech Unit
Other speech panels available with or without keypad.

DETAILS	
Power	24v dc (24c dc 2A included) (Handsets 12v dc)
Working Distance	150m on 24AWG CAT5 cable
Weather Rating	IP55
Wiring	3 Wire or 5 wire option
Relays	2
Relays Type	N/O momentary 4 second pulse
Keypad codes/Prox cards	1200 total across 3 relays



SLIM-HF-EH-B-EU



**H175 X
L48 X W20**

ARCHITECTURAL MODELS
Stylish black/steel panels with backlighting.

SLIM-HF-AB-EU (NON KP)
SLIM-HF-ABK-EU

Blue buttons & blue back lighting.

ARCHITECTURAL STEEL MODELS
Stylish panels with backlighting.

SLIM-HF-AS-EU (NON KP)
SLIM-HF-ASK-EU


Blue buttons & blue back lighting.



IMPERIAL MODELS
Sleek all-black panels.

SLIM-HF-EU (NON KP)
SLIM-HF-IBK-EU

All black panels have blue lighting.



ECO-SLIM-HF-EB-EU
(NON KP ONLY)

Each kit contains, a speech panel, power supply and install manual.
handsfree wall-mounted handset (up to 4 handsets per system, sold separately).

For kits with the white handsfree handset*.

Add **W** to product code:


SLIM-HF-ABK-W-EU

SLIM-HF-EH-W-EU




PRODUCT DIMENSIONS


SLIM - IMPERIAL NON KP




SLIM - IMPERIAL WITH KP




SLIM - ARCHITECTURAL NON KP



SLIM - ARCHITECTURAL WITH KP



SLIM - ECO



Other panel styles available,
Flush & Prox units.

